# INDEX OF SUBJECTS


PAGE

ADHESIONS, peri-aortic, in aortitis in early life in India . . . . . 69
AGE, young adult uterine allografts most successful, full-grown adult least . 105
ALBITOCIN, hepatotoxic glycoside, injected into rats causes liver necrosis with enhanced cellular defaecation . . 99
AMMONIUM sulphate lung oedema, ultrastructure . . . . . 281
ANALGESIC abuse possible cause of renal medullary necrosis type 3 . . 257
ANEURYSM(S), multiple dissecting, of peripheral arteries . . . . . 145
AORTA, aortitis in early life in India, association with tuberculosis . . 69
partial constriction, plasmatic vasculosis in cephalad arteries and arterioles, not in those caudad; this associated with elastic fragmentation and smooth-muscle death and regeneration. . 307
AORTITIS in early life in India, association with tuberculosis . . . . . 69
ARTERY(IES), hepatic, increased blood flow in hepatic venous outflow block . 87
peripheral, multiple dissecting aneurysms of . . . . . 145
AUTOPHAGOCYTOSIS very active in livers of rats given hepatotoxin albitocin . 99
AUTORADIOGRAPHY, explants of undissociated prostate incorporate uridine, little or no thymidine or amino acids 113

BACTERIA, phagocytosed, remains in macrophages infiltrating jejunal mucosa in Whipple's disease; bacteria numerous in mucosa before antibiotic therapy, absent after . . . . . 249
BRAIN, dog, fixation by perfusion . . 295
BRONCHI, bronchial glands, histochemical and autoradiographic study of serous cells of . . . . . 127

CALF liver, effect of alpha-naphthyl isothiocyanate . . . . . 269
CELL migration through chronically inflamed tissues . . . . . 21
transfer studies on persistence of homograft sensitivity in mice . . . 39
CIRCULATION, extrasinusoidal, in hepatic venous outflow block . . . 87
CONTRACTION of wounds, none in foetal rabbit . . . . . 81
Cows, lipid storage disease in two . . 207
CULTURAL METHODS, best for pathogenic amoeba *Naegleria fowleri* plain agar smeared with live bacteria . . 217

DEXTRAN, intraperitoneal injection into mice leads to increase in percentage of lymphocytes plus polymorphonuclear leucocytes and fall in percentage of mesothelial cells, both more marked in females . . . . . 210
DIFFERENTIATION of uterine allografts usually less than that of 8-wk uterus . 105
DOG brain, fixation by perfusion . . 295
DUODENUM, mouse, focal avillous hyperplasia . . . . . 245

EAST AFRICA, Kaposi's sarcoma in East African children . . . . . 187
ELASTIC TISSUE formation in healing injuries of pleura: fibres formed from central core and microfilaments . 1
ELECTRON-MICROSCOPE STUDY of adult prostate epithelium . . . . . 113
of liver-cell defaecation . . . . 99
of lung oedema due to ammonium sulphate . . . . . 281
of pleural reaction to injuries, especially late stages . . . . . 1
of two cases of Whipple's disease . 249
ENCEPHALITIS, acute, in glandular fever . 201
ENDOCRINE status of host has no constant effect on fate of uterine allografts . 105
ENDOTHELIUM of hepatic sinusoids has larger gaps than most capillary channels and lacks a basement-lamina 87
macular junctions rather than occluding in some parts of pancreatic vasculature; fenestrated endothelium freely permeable to molecules size of horseradish peroxidase . . . . . 31
pancreatic, permeability to horseradish peroxidase . . . . . 31
ENZYMES, horseradish peroxidase, permeability of pancreatic endothelium to . 31
EOSINOPHIL GRANULOMA, lipid storage disease resembling, in a pig . . 207
EPITHELIALISATION, absence of in healing wounds of skin in foetal rabbits . 81
EYE, involvement in Kaposi's sarcoma in East African children . . . 187

FISH, guppy (*Lebistes reticularis*), spontaneous epidermal cystadenoma in . 317

PAGE

FOETUS, rabbit, healing of skin wounds in. 81
FREQUENCY of ultrasound, low frequencies more damaging than high to rat liver, if thermal effects avoided by pulsing . 287

GLANDULAR FEVER, acute encephalitis in . 201
GRAFTS, fate of allografts of uterine tissue in rats . . . . . 105
GRANULATION TISSUE, none formed in healing skin wounds in foetal rabbit . 81
GRANULOMA formation in lymph-nodes; macrophages mainly derived from skin reaction to insoluble substances, except when Freund's incomplete adjuvant used, when reaction mainly in lymph-node . . . . . 9
GROWTH capacity, lack in prostatic epithelium separated from stroma . . 113
GUINEA-PIGS, necrotising myopathy in . 155
GUPPY (*Lebistes reticularis*), spontaneous epidermal cystadenoma in . . 317

HAND-SCHÜLLER-CHRISTIAN DISEASE, lipid storage disease resembling, in pigs and less so in a cow . . . . . 207
HEART, effect of tetrodotoxin on . . 121
HISTOLOGICAL METHODS, fixation of dog brain by perfusion . . . . . 295
HOMOGRAFT sensitivity in mice, effect of dosage of transferred lymphoid cells on. . . . . 39
HYPERPLASIA, focal avillous, of mouse duodenum . . . . . 245
tumour-like, of ovary in pregnancy (luteoma of ovary) . . . . . 77
HYPERTENSION in rats, ischaemic renal contraction in . . . . . 149
in rats with partial aortic constriction, plasmatic vasculosis of cephalad arteries and arterioles in . . . 307

INDIA, aortitis in early life in, association with tuberculosis . . . . . 69
INFANTS AND CHILDREN, acute encephalitis in glandular fever in 8-yr-old boy . 201
East African, Kaposi's sarcoma in . 187
INFLAMMATION, chronic, of tissues, cell migration in . . . . 21
inflammatory cerebral lesions in acute encephalitis in glandular fever in 8-yr-old boy . . . . . 201
poor, with no leucocytic infiltration, in healing wounds of foetal rabbit . 81

KAPOSI'S SARCOMA in East African children, lymph-node and ocular lesions in 187
KIDNEY, hydronephrotic, increase in cell population in efferent lymph . . 21

PAGE

KIDNEY, ischaemic contraction in hypertensive rats . . . . . 149
renal medullary necrosis, commoner in women, three types . . . . 257

LIPID STORAGE DISEASE in two pigs and one cow . . . . . 207
LIVER-cell defaecation . . . . . 99
extrasinusoidal circulation in venous outflow block . . . . . 87
infarcts and inflammation in feral Hawaiian mongoose . . . . 177
rat, low frequency ultrasound more damaging to than high frequency, if thermal effects avoided . . . . 287
sheep and calf, effect of alpha-naphthyl isothiocyanate . . . . . 269
LYMPH draining chronic granulomata and hydronephrotic kidneys, changes in cell population in . . . . . 21
LYMPH-NODE(S), granuloma formation in . 9
involvement in Kaposi's sarcoma in East African children . . . . . 187
para-aortic, enlarged in aortitis in early life in India . . . . . 69
LYMPHOCYTES, passage from blood capillaries into granulomata . . . . 21
LYMPHOID CELLS from CBA mouse presensitised to A-strain skin grafts transfer sensitivity to normal CBA mice; sensitivity first detectable with 8-day lymphoid cells, maximal with 14-day cells, then gradual decrease . . 39
LYMPHOSARCOMA, progressive vaccinia complicating . . . . . 53
LUNG, alveolar hyperplasia in rats given pyrolizidine pyrroles by tail-vein injection . . . . . 169
bronchial glands, histochemical and autoradiographic examination of serous cells of . . . . . 127
lipid histiocytosis with emphysema and alveolar-cell hyperplasia in feral Hawaiian mongoose . . . . 177
oedema due to ammonium sulphate, ultrastructure . . . . . 281
LUTEOMA of pregnancy . . . . . 77
LYSOSOMES, changes produced in rat liver by toxohormone similar to those in tumour-bearing rats . . . . 161
discharge of lysosomal residual bodies into the intercellular space and into bile canaliculi . . . . . 99

MACROPHAGES infiltrating jejunal mucosa in Whipple's disease contain bacterial remains . . . . . 249
MALFORMATIONS, congenital, associated with accessory spleens . . . . 139

PAGE

MAST CELLS numerous in area near acellular band of connective tissue extending from distal oesophagus to rectum in feral Hawaiian mongoose . . 177
MEDIA, arterial, degenerative changes in case of multiple peripheral dissecting aneurysms . . . . . 145
MEDULLARY NECROSIS, renal aetiology . 257
MIGRATION of cells through chronically inflamed tissues . . . . . 21
MONGOOSE, wild Hawaiian (*Herpestes aureopunctatus*), pathological changes in . . . . . 177
MONONUCLEOSIS, acute, acute encephalitis in . . . . . 201
MOUSE(MICE), cell transfer studies on homograft sensitivity in . . . 39
experimental infection with *Naegleria fowleri* leads to meningo-encephalitis 217
focal villous hyperplasia of duodenum . 245
MUCOUS CELLS of bronchial glands, secretion different from that of serous glands . . . . . 127
MUSCLE FIBRES, necrosis, mononuclear-cell infiltration of, and regeneration in necrotising myopathy in guinea-pigs . 155
MYOPATHY, primary necrotising, in guinea-pigs . . . . . 155

α-NAPHTHYL ISOTHIOCYANATE, effect on liver in sheep and calves . . . 269

OBSTRUCTION of urinary tract, possible cause of renal medullary necrosis type 2 . . . . . 257

PANCREAS, permeability of endothelium to horseradish peroxidase . . . 31
PERITONEAL CELLS, intraperitoneal dextran leads to increase in percentage lymphocytes plus polymorphonuclear leucocytes in peritoneal fluid, fall in percentage of mesothelial cells . . 210
PEROXIDASE, horseradish, permeability of pancreatic endothelium to . . 31
PIG, lipid storage disease in one . . 207
PLEURA, reaction to injury . . . 1
PNEUMONIA, vaccinial, in progressive vaccinia complicating lymphosarcoma . 53
PREGNANCY, luteoma of . . . 77
PROCEEDINGS OF THE SOCIETY . . Pi
PROTOZOA, *Naegleria fowleri* n. sp., pathogenic amoeba producing meningo-encephalitis in man and mouse . 217
PYRROLES derived from pyrrolizidines probably responsible for pathological changes in pyrrolizidine poisoning . 169

PAGE

PYRROLIZIDINE PYRROLES, rats given tail-vein injection show progressive pulmonary alveolar proliferation, those given mesenteric vein injection show necrosis and thrombosis of portal vein radicles and left lobe infarction; later regeneration nodules . . . . . 169

RABBITS, foetal, intra-uterine healing of skin wounds in . . . . . 81
RAT(S), allografts of uterine tissue in . 105
given tail-vein or mesenteric vein injection of pyrrolizidine pyrroles, lesions in lung or liver respectively . . 169
given toxohormone by injection show increase in hepatic lysosomes, as in tumour-bearing rats . . . 161
hypertensive, quadratic relation between blood pressure and renal contraction in . . . . . 149
liver, low frequency ultrasound more damaging than high, if thermal effects avoided . . . . . 287
poisoned with albitocin, fate of residual lysosomal bodies from liver necroses in . . . . . 99
REGENERATION nodules in liver in rats given pyrrolizidine pyrroles by mesenteric vein injection . . . . 169
RESIDUAL BODIES, fate in liver of rats poisoned with albitocin . . . 99
REVIEWS OF BOOKS—
Functional pathology of the human adrenal gland (Thomas Symington) . 79
The nature of melanoma (Vincent J. McGovern and Malcolm M. Lane Brown) . . . . . 79
Histological typing of soft tissue tumours (F. M. Enzinger, with R. Lattes and H. Torloni) . . . . . 80
ROUTE OF INFECTION with *Naegleria fowleri* probably nasal . . . . 217
ROUTE OF INJECTION, intraperitoneal more effective in transferring graft sensitivity by injecting lymphoid cells from CBA mice sensitised to A-strain skin grafts into normal CBA mice . . 39

SCAB, none in healing wounds of foetal rabbit . . . . . 81
SEROUS CELLS of bronchial glands, secretion different from that of mucous cells . 127
SERUM, human, amoebicidal factor in, probably prevents haematogenous spread of *Naegleria fowleri* . . 217
SEWAGE or sullage most likely source of pathogenic amoeba *Naegleria fowleri*. 217
SEX of host has no constant effect on fate of uterine allografts. . . . 105

PAGE

SHEEP liver, effect of alpha-naphthyl isothiocyanate . . . . . 269
lymph flow and cell population of lymph from chronic granulomata and hydronephrotic kidneys . . . . . 21
SIALIC ACID plus carbohydrate component main secretory product in serous cells of bronchial glands . . . . 127
SINUSOIDS of liver, escape of red cells from into Disse's space in hepatic venous outflow block . . . . . 87
SKIN granulomas, in response to various insoluble substances, macrophages formed migrate to lymph-node; reaction to Freund's incomplete adjuvant mainly in lymph-node . . 9
wounds in rabbit foetuses, healing in . 81
SPLEEN, accessory, significance of . . 139
cells transferred from CBA mice sensitised to A-strain skin grafts transfer sensitivity to normal CBA mice; sensitivity much as with transferred lymphoid cells, but maximum lasts longer . . . . . 39
STOMACH ulcers in trapped wild Hawaiian mongoose . . . . . 177
SULPHATE, sulphated carbohydrate a component of secretion of serous cells of bronchial glands . . . . . 127

TETRODOTOXIN, effect on heart . . 121
THERMAL EFFECTS of ultrasound in rat liver 287
TOAD, clawed (*Xenopus laevis*), anaplastic carcinoma of stomach, pancreas, kidney and urinary bladder . . 205

PAGE

TOXOHORMONE, crude fraction of injected into rats produces hepatic lysosomal changes similar to those in tumour-bearing rats . . . . . 161
TUBERCULOSIS, association with aortitis in early life in India . . . . . 69
TUMOURS, ANIMAL, anaplastic carcinoma of stomach, pancreas, kidney and urinary bladder in South African clawed toad . . . . . 205
spontaneous epidermal cystadenoma in guppy (*Lebistes reticularis*) . . 317
TUMOURS, HUMAN, Kaposi's sarcoma in East African children . . . . 187
lymphosarcoma, with progressive vaccinia as complication . . . . 53

ULTRASOUND of varying frequency, effect on rat liver . . . . . 287
UTERUS, allografts of uterine tissue in rats 105

VACCINIA, progressive, complicating lymphosarcoma . . . . . 53
VASODILATATION, peripheral, chief cause of hypotensive effect of tetrodotoxin . 121
VEINS, venous outflow block in liver, extrasinusoidal circulation in . . . 87
VIRUS, vaccinia, EM demonstration in lung in vaccinial pneumonia complicating lymphosarcoma . . . . 53

WHIPPLE'S DISEASE, electron microscopy of PAS-positive granules in macrophages infiltrating jejunal mucosa shows they are remains of phagocytosed bacteria 249
WOUNDS of skin in foetal rabbit, intrauterine healing of . . . . . 81

# INDEX OF AUTHORS


PAGE

ALEO, J. J., and MILLER, A. S., spontaneous epidermal cystadenoma in a guppy (*Lebistes reticularis*) . . 317

ANDERSON, LINDSAY J., and SANDISON, A. T., histiocytosis in two pigs and a cow: conditions resembling lipid storage disorders in man . . . 207

ARCHER, JENNET M., WALTERS, M. N-I., PAPADIMITRIOU, J. M., and ROBERTSON, T. A., permeability of pancreatic endothelium to horseradish peroxidase 31

BARNES, J. M., BUTLER, W. H., and MATTOCKS, A. R., lesions in the liver and lungs of rats given pyrrole derivatives of pyrrolizidine alkaloids . . 169

BERG, P., and BOQUIST, L., multiple dissecting aneurysms in peripheral arteries . 145

BIRD, C. C., histological studies of allografts of uterine tissues in rats . . 105

BLAKE, J., and SWALES, J. D., the relation between blood-pressure level and ischaemic renal contraction in the rat 149

BOQUIST, L., and BERG, P., multiple dissecting aneurysms in peripheral arteries . . . . . 145

BUTLER, W. H., MATTOCKS, A. R., and BARNES, J. M., lesions in the liver and lungs of rats given pyrrole derivatives of pyrrolizidine alkaloids . . . 169

CAHALANE, S. F., and KIESSELBACH, N., the significance of the accessory spleen 139

CAMERON, H. MCD., SLAVIN, G., FORBES, C., and MITCHELL, R. M., Kaposi's sarcoma in East African children: a report of 51 cases . . . . . 187

CARBONELL, A. W., FRANKS, L. M., RIDDLE, P. N., and GEY, G. O., a comparative study of the ultrastructure and lack of growth capacity of adult human prostate epithelium mechanically separated from its stroma . 113

CARTER, R. F., description of a *Naegleria* sp. isolated from two cases of primary amoebic meningo-encephalitis, and of the experimental pathological changes induced by it . . . . 217

CHENG, C. P. K., CHENG, K. K., and WANG, J. C. C., the action of tetrodotoxin on the heart . . . . 121

CHENG, K. K., CHENG, C. P. K., and WANG, J. C. C., the action of tetrodotoxin on the heart. . . . . 121

PAGE

CRANE, W. A. J., and FERNANDEZ, DZINTRA, new cell formation in rats with accelerated hypertension due to partial aortic constriction. . . . 307

DAVIES, D. J., KENNEDY, A., and ROBERTS, C., the aetiology of renal medullary necrosis: a survey of adult cases in Liverpool . . . . . 257

DAVIS, R. H., and MCGOWAN, L., changes in cellular patterns of mouse peritoneal fluid with dextran administration . 210

DISCHE, F. E., and RITCHIE, J. M., luteoma of pregnancy . . . . . 77

DIXON, M. F., progressive vaccinia complicating lymphosarcoma . . 53

DONALDSON, J. R., ROBERTS, D. M., THEMANN, H., KNUST, F-J., and PRESTON, F. E., an electron-microscope study of bacteria in two cases of Whipple's disease . . . . . 249

ELKAN, E., a spontaneous anaplastic intestinal metastasising carcinoma in a South African clawed toad (*Xenopus laevis* Daudin) . . . . . 205

FERNANDEZ, DZINTRA, and CRANE, W. A. J., new cell formation in rats with accelerated hypertension due to partial aortic constriction. . . . 307

FORBES, C., SLAVIN, G., CAMERON, H. MCD., and MITCHELL, R. M., Kaposi's sarcoma in East African children: a report of 51 cases . . 187

FORD, E. J. H., and GOPINATH, C., the effect of alpha-naphthyl isothiocyanate on the liver of sheep and calves. . 269

FRANKS, L. M., RIDDLE, P. N., CARBONELL, A. W., and GEY, G. O., a comparative study of the ultrastructure and lack of growth capacity of adult human prostate epithelium mechanically separated from its stroma . . . . . 113

GAAFAR, S. M., and TURK, J. L., granuloma formation in lymph-nodes . 9

GEY, G. O., FRANKS, L. M., RIDDLE, P. N., and CARBONELL, A. W., a comparative study of the ultrastructure and lack of growth capacity of adult human prostate epithelium mechanically separated from its stroma . . . . . 113

PAGE

GHADIALLY, F. N., and PARRY, E. W., the effects of toxohormone on the ultrastructure of rat hepatocytes . 161
GOPINATH, C., and FORD, E. J. H., the effect of alpha-naphthyl isothiocyanate on the liver of sheep and calves . . 269
GOWLAND, G., and WARREN, JUDITH, cell transfer studies on the persistence of homograft sensitivity in the mouse . 39

HAYASHI, T., and STEMMERMANN, G. N., the normal and morbid anatomy of the Hawaiian feral mongoose . . 177
HAYES, J. A., and SHIGA, AMY, ultrastructural changes in pulmonary oedema produced experimentally with ammonium sulphate . . . . . 281

KENNEDY, A., DAVIES, D. J., and ROBERTS, C., the aetiology of renal medullary necrosis: a survey of adult cases in Liverpool . . . . . 257
KERR, J. F. R., liver cell defaecation: an electron-microscope study of the discharge of lysosomal residual bodies into the intercellular space . . 99
KIESSELBACH, N., and CAHALANE, S. F., the significance of the accessory spleen . 139
KINARE, SUMAN G., aortitis in early life in India and its association with tuberculosis . . . . . 69
KNUST, F-J., ROBERTS, D. M., THEMANN, H., PRESTON, F. E., and DONALDSON, J. R., an electron-microscope study of bacteria in two cases of Whipple's disease . . . . . 249

LAMB, D., and REID, LYNNE, histochemical and autoradiographic investigation of the serous cells of the human bronchial glands . . . . . 127
LEOPOLD, J. G., PARRY, T. E., and STORRING, F. K., a change in the sinusoid-trabecular structure of the liver with hepatic venous outflow block . 87

MCGOWAN, L., and DAVIS, R. H., changes in cellular patterns of mouse peritoneal fluid with dextran administration 210
MCINTOSH, G. H., SMITH, J. B., and MORRIS, B., the migration of cells through chronically inflamed tissues . 21
MATTOCKS, A. R., BUTLER, W. H., and BARNES, J. M., lesions in the liver and lungs of rats given pyrrole derivatives of pyrrolizidine alkaloids. . . 169
MILLER, A. S., and ALEO, J. J., spontaneous epidermal cystadenoma in a guppy (*Lebistes reticularis*). . . . 317
MITCHELL, R. M., SLAVIN, G., CAMERON, H. MCD., and FORBES, C., Kaposi's sarcoma in East African children: a report of 51 cases . . . . . 187
MORRIS, B., SMITH, J. B., and MCINTOSH, G. H., the migration of cells through chronically inflamed tissues . . 21

PAPADIMITRIOU, J. M., WALTERS, M. N-I., ROBERTSON, T. A., and ARCHER, JENNET M., permeability of pancreatic endothelium to horseradish peroxidase . . . . . 31
PARRY, E. W., and GHADIALLY, F. N., the effects of toxohormone on the ultrastructure of rat hepatocytes . . 161
PARRY, T. E., LEOPOLD, J. G., and STORRING, F. K., a change in the sinusoid-trabecular structure of the liver with hepatic venous outflow block . 87
POND, J., and TAYLOR, K. J. W., the effects of ultrasound of varying frequencies on rat liver . . . . . 287
PRATHAP, K., and SOMASUNDARAM, K., inter-uterine healing of skin wounds in rabbit foetuses . . . . . 81
PRESTON, F. E., ROBERTS, D. M., THEMANN, H., KNUST, F-J., and DONALDSON, J. R., an electron-microscope study of bacteria in two cases of Whipple's disease . . . . . 249

REID, LYNNE, and LAMB, D., histochemical and autoradiographic investigation of the serous cells of the human bronchial glands . . . . . 127
RIDDLE, P. N., FRANKS, L. M., CARBONELL, A. W., and GEY, G. O., a comparative study of the ultrastructure and lack of growth capacity of adult human prostate epithelium mechanically separated from its stroma. . . 113
RITCHIE, J. M., and DISCHE, F. E., luteoma of pregnancy . . . . . 77
ROBERTS, C., DAVIES, D. J., and KENNEDY, A., the aetiology of renal medullary necrosis: a survey of adult cases in Liverpool . . . . . 257
ROBERTS, D. M., THEMANN, H., KNUST, F-J., PRESTON, F. E., and DONALDSON, J. R., an electron-microscope study of bacteria in two cases of Whipple's disease . . . . . 249
ROBERTSON, T. A., WALTERS, M. N-I., PAPADIMITROU, J. M., and ARCHER, JENNET M., permeability of pancreatic endothelium to horseradish peroxidase . . . . . 31

PAGE

SANDERSON, J. M., and WRIGHT, G., improved method for fixation of dog brain by vascular perfusion . . 295
SANDISON, A. T., and ANDERSON, LINDSAY J., histiocytosis in two pigs and a cow: conditions resembling lipid storage disorders in man . . . . . 207
SERONDE, J., JR, focal avillous hyperplasia of the mouse duodenum . . 245
SHIGA, AMY, and HAYES, J. A., ultrastructural changes in pulmonary oedema produced experimentally with ammonium sulphate . . . . . 281
SLAVIN, G., CAMERON, H. MCD., FORBES, C., and MITCHELL, R. M., Kaposi's sarcoma in East African children: report of 51 cases . . . . . 187
SMITH, J. B., MCINTOSH, G. H., and MORRIS, B., the migration of cells through chronically inflamed tissues . 21
SOMASUNDARAM, K., and PRATHAP, K., intra-uterine healing of skin wounds in rabbit foetuses . . . . . 81
STEMMERMANN, G. N., and HAYASHI, T., the normal and morbid anatomy of the Hawaiian feral mongoose . . 177
STORRING, F. K., LEOPOLD, J. G., and PARRY, T. E., a change in the sinusoid-trabecular structure of the liver with hepatic venous outflow block . . 87
SWALES, J. D., and BLAKE, J., the relation between blood-pressure level and ischaemic renal contraction in the rat 149
SWORN, M. J., and URICH, H., acute encephalitis in infections mononucleosis 201

PAGE

TAYLOR, K. J. W., and POND, J., the effects of ultrasound of varying frequencies on rat liver . . . . . 287
THEMANN, H., ROBERTS, D. M., KNUST, F-J., PRESTON, F. E., and DONALDSON, J. R., an electron-microscope study of bacteria in two cases of Whipple's disease . . . . . 249
TURK, J. L., and GAAFAR, S. M., granuloma formation in lymph-nodes . 9

URICH, H., and SWORN, M. J., acute encephalitis in infectious mononucleosis 201

WALTERS, M. N-I., PAPADIMITRIOU, J. M., ROBERTSON, T. A., and ARCHER, JENNET M., permeability of pancreatic endothelium to horseradish peroxidase . . . . . 31
WANG, J. C. C., CHENG, C. P. K., and CHENG, K. K., the action of tetrodotoxin on the heart . . . . . 121
WARREN, JUDITH, and GOWLAND, G., cell transfer studies on the persistence of homograft sensitivity in the mouse . 39
WEBB, J. N., naturally occurring myopathy in guinea-pigs . . . . . 155
WILLIAMS, G., the pleural reaction to injury; a histological and electron-optical study with special reference to elastic-tissue formation . . . 1
WRIGHT, G., and SANDERSON, J. M., improved method for fixation of dog brain by vascular perfusion . . 295